



PROGRAMMING IN PYTHON

Gavrilut Dragos
Course 6

EXCEPTIONS

Exceptions in Python have the following form:

Python 3.x

```
try:  
    #code  
except:  
    #code that will be executed in  
    #case of any exception
```

Python 3.x

```
try:  
    x = 5 / 0  
except:  
    print("Exception")
```

Output

Exception

EXCEPTIONS

Exceptions in Python have the following form:

Python 3.x

```
try:  
    #code  
except:  
    #code that will be executed in  
    #case of any exception  
else:  
    #code that will be executed if  
    #there is no exception
```

Python 3.x

```
try:  
    x = 5 / 1  
except:  
    print("Exception")  
else:  
    print("All ok")
```

Output

All ok

EXCEPTIONS

All exceptions in python are derived from **BaseException** class. There are multiple types of exceptions including: **ArithmetError**, **BufferError**, **AttributeError**, **FloatingPointError**, **IndexError**, **KeyboardInterrupt**, **NotImplementedError**, **OverflowError**, **IndentationError**, and many more.

A list of all the exceptions can be found on:

- <https://docs.python.org/3.8/library/exceptions.html#Exception>
- <https://docs.python.org/3.9/library/exceptions.html#Exception>

A custom (user-defined) exception type can also used (more on this topic at “**Classes**”).

EXCEPTIONS

Exceptions in Python have the following form:

Python 3.x

```
try:  
    #code  
except ExceptionType1:  
    #code for exception of type 1  
except ExceptionType2:  
    #code for exception of type 1  
except:  
    #code for general exception  
else:  
    #code that will be executed if  
    #there is no exception
```

Python 3.x

```
def Test (y):  
    try:  
        x = 5 / y  
    except ArithmeticError:  
        print("ArithmeticError")  
    except:  
        print("Generic exception")  
    else:  
        print("All ok")
```

Output

```
ArithmeticError  
Generic exception  
All ok
```

EXCEPTIONS

Exceptions in Python have the following form:

Python 3.x

```
try:  
    #code  
except ExceptionType1:  
    #code for exception of type 1  
except ExceptionType2:  
    #code for exception of type 1  
except:  
    #code for general exception  
else:  
    #code that will be executed if  
    #there is no exception
```

Python 3.x

```
def Test (y) :  
    try:  
        x = 5 / y  
    except:  
        print("Generic exception")  
    except ArithmeticError:  
        print("ArithmeticError")  
    else:  
        print("All ok")
```

```
Test(0)  
Test("aaa")  
Test(1)
```

Generic exception must be
the last one. Code will not
compile.

EXCEPTIONS

Python also have a `finally` keyword that can be used to executed something at the end of the `try` block.

Python 3.x

```
try:  
    #code  
except:  
    #code for general exception  
else:  
    #code that will be executed  
    #if there is no exception  
finally:  
    #code that will be executed  
    #after the try block execution  
    #is completed
```

Python 3.x

```
def Test (y) :  
    try:  
        x = 5 / y  
    except:  
        print("Error")  
    else:  
        print("All ok")  
    finally:  
        print("Final")  
Test(0)  
Test(1)
```

Output

Test(0):

Error

Final

Test(1):

All ok

Final

EXCEPTIONS

Python also have a `finally` keyword that can be used to executed something at the end of the `try` block.

Python 3.x

```
try:  
    #code  
except:  
    #code for general exception  
else:  
    #code that will be executed  
    #if there is no exception  
finally:  
    #code that will be executed  
    #after the try block execution  
    #is completed
```

Python 3.x

```
def Test (y) :  
    try:  
        x = 5 / y  
    except:  
        print("Error")  
    finally:  
        print("Final")  
    else:  
        print("All ok")  
Test(0)  
Test(1)
```

Finally must be the last statement

EXCEPTIONS

Exceptions in Python have the following form:

Python 3.x

```
try:  
    #code  
except (Type1, Type2, ... Typen):  
    #code for exception of type  
    #1, 2, ...  
except:  
    #code for general exception  
else:  
    #code that will be executed  
    #if there is no exception
```

Python 3.x

```
def Test (y) :  
    try:  
        x = 5 / y  
    except (ArithmetError, TypeError) :  
        print("ArithmetError")  
    except:  
        print("Generic exception")  
    else:  
        print("All ok")
```

```
Test(0)  
Test("aaa")  
Test(1)
```

Output

```
ArithmetError  
ArithmetError  
All ok
```

EXCEPTIONS

Exceptions in Python have the following form:

Python 3.x

```
try:  
    #code  
except Type1 as <var_name>:  
    #code for exception of type  
    #1.  
except:  
    #code for general exception  
else:  
    #code that will be executed  
    #if there is no exception
```

Python 3.x

```
try:  
    x = 5 / 0  
except Exception as e:  
    print( str(e) )
```

Output

division by 0

EXCEPTIONS

Exceptions in Python have the following form:

Python 3.x

```
try:  
    #code  
except (Type1,Type2,...Typen) as <var>:  
    #code for exception of type 1,2,... n  
  
try:  
    x = 5 / 0  
except (Exception,ArithmetricError,TypeError) as e:  
    print( str(e), type(e) )
```

Output

Python3: division by zero <class 'ZeroDivisionError'>

EXCEPTIONS

Python also has another keyword (**raise**) that can be used to create / throw an exception:

Python 3.x

```
raise ExceptionType (parameters)
raise ExceptionType (parameters) from <exception_var>

try:
    raise Exception("Testing raise command")
except Exception as e:
    print(e)
```

Output

```
Testing raise command
```

EXCEPTIONS

Each exception has a list of arguments (parameter **args**)

Python 3.x

```
try:  
    raise Exception("Param1",10,"Param3")  
except Exception as e:  
    params = e.args  
    print (len(params))  
    print (params[0])
```

Output

```
3  
Param1
```

EXCEPTIONS

raise keyword can be used without parameters. In this case it indicates that the current exception should be re-raised.

Python 3.x

```
try:  
    try:  
        x = 5 / 0  
    except Exception as e:  
        print(e)  
        raise .....  
    except Exception as e: .....  
        print("Return from raise -> ",e)
```

Output (Python 3.x)

```
division by zero  
Return from raise -> division by zero
```

EXCEPTIONS

Python 3.x supports chaining exception via **from** keyword.

Python 3.x

```
1 try:  
2     x = 5 / 0  
3 except Exception as e:  
4     raise Exception("Error") from e
```

Output

Traceback (most recent call last):

File "a.py", line 2, in <module>
 x = 5 / 0

ZeroDivisionError: division by zero

The above exception was the direct cause of the following exception:

Traceback (most recent call last):

File "a.py", line 4, in <module>
 raise Exception("Error") from e

Exception: Error

EXCEPTIONS

Python has a special keyword (**assert**) that can be used to raise an exception based on the evaluation of a condition:

Python 3.x

```
age = -1
try:
    assert (age>0), "Age should be a positive number"
except Exception as e:
    print (e)
```

Output

```
Age should be a positive number
```

EXCEPTIONS

pass keyword is usually used if you want to catch an exception but do not want to process it.

Python 3.x

```
try:  
    x = 10 / 0  
except:  
    pass
```

Some exceptions (if not handled) can be used for various purposes.

Python 3.x

```
print("Test")  
raise SystemExit  
print("Test2")
```

This exception (**SystemExit**) if
not handle will imediately
terminate your program

Output

Test

MODULES

Modules are python's libraries and extends python functionality. Python has a special keyword (**import**) that can be used to import modules.

Format (Python 3.x)

```
import module1, [module2, module3, ... modulen]
```

Classes or items from a module can be imported separately using the following syntax.

Format (Python 3.x)

```
from module import object1, [object2, object3, ... objectn]  
from module import *
```

When importing a module aliases can also be made using “as” keyword

Format (Python 3.x)

```
import module1 as alias1, [module2 as alias2, ... modulen as aliasn]
```

MODULES

Python has a lot of default modules (**os**, **sys**, **re**, **math**, etc).

There is also a keyword (**dir**) that can be used to obtain a list of all the functions and objects that a module exports.

Format (Python 3.x)

```
import math  
print ( dir(math) )
```

Output (Python 3.x)

```
['__doc__', '__loader__', '__name__', '__package__', '__spec__', 'acos', 'acosh', 'asin', 'asinh', 'atan', 'atan2', 'atanh', 'ceil', 'copysign', 'cos',  
'cosh', 'degrees', 'e', 'erf', 'erfc', 'exp', 'expm1', 'fabs', 'factorial', 'floor', 'fmod', 'frexp', 'fsum', 'gamma', 'gcd', 'hypot', 'inf', 'isclose', 'isfinite',  
'isinf', 'isnan', 'ldexp', 'lgamma', 'log', 'log10', 'log1p', 'log2', 'modf', 'nan', 'pi', 'pow', 'radians', 'sin', 'sinh', 'sqrt', 'tan', 'tanh', 'trunc']
```

The list of functions/items from a module may vary from Python 2.x to Python 3.x and from version to version, or from different versions of Python.

MODULES

Python distribution modules:

- Python 3.x → <https://docs.python.org/3/py-modindex.html>

Module	Purpose
collections	Implementation of different containers
ctype	Packing and unpacking bytes into c-like structures
datetime	Date and Time operators
email	Support for working with emails
hashlib	Implementation of different hashes (MD5, SHA, ...)
json	JSON encoder and decoder
math	Mathematical functions
os	Different functions OS specific (make dir, delete files, rename files, paths, ...)

Module	Purpose
re	Regular expression implementation
random	Random numbers
socket	Low-level network interface
subprocess	Processes
sys	System specific functions (stdin,stdout, arguments, loaded modules, ...)
traceback	Exception traceback
urllib	Handling URLs / URL requests, etc
xml	XML file parser

MODULES - SYS

Python documentation page:

- Python 3.x → <https://docs.python.org/3/library/sys.html#sys.modules>

object	Purpose
sys.argv	A list of all parameters send to the python script
sys.platform	Current platform (Windows / Linux / MAC OSX)
sys.stdin sys.stdout, sys.stderr	Handlers for default I/O operations
sys.path	A list of strings that represent paths from where module will be loaded
sys.modules	A dictionary of modules that have been loaded

MODULES - SYS

sys.argv provides a list of all parameters that have been send from the command line to a python script. The first parameter is the name/path of the script.

File 'test.py' (Python 3.x)

```
import sys  
print ("First parameter is", sys.argv[0])
```

Output

```
>>> python.exe C:\test.py  
First parameter is C:\test.py
```

MODULES - SYS

Python 3.x (File: sum.py)

```
import sys
suma = 0
try:
    for val in sys.argv[1:]:
        suma += int(val)
    print("Sum=", suma)
except:
    print("Invalid parameters")
```

Output

```
>>> python.exe C:\sum.py 1 2 3 4
Sum = 10

>>> python.exe C:\sum.py 1 2 3 test
Invalid parameters
```

MODULES - OS

Python documentation page:

- Python 3.x → <https://docs.python.org/3/library/os.html>

Includes functions for:

- Environment
- Processes (PID, Groups, etc)
- File system (change dir, enumerate files, delete files or directories, etc)
- File descriptor functions
- Terminal informations
- Process management (spawn processes, fork, etc)
- Working with file paths

MODULES - OS

Listing the contents of a folder (`os.listdir` → returns a list of child files and folders).

Python 3.x

```
import os  
print (os.listdir("."))
```

Output

```
['$Recycle.Bin', 'Android', 'Documents and Settings', 'Drivers', 'hiberfil.sys', 'Program Files', 'Program Files (x86)', 'ProgramData',  
'Python27', 'Python38', 'System Volume Information', 'Users', 'Windows', ...]
```

File and folder operations:

- `os.mkdir / os.makedirs` → to create folders
- `os.chdir` → to change current path
- `os.rmdir / os.removedirs` → to delete a folder
- `os.remove / os.unlink` → to delete a file
- `os.rename / os.renames` → rename/move operations

MODULES - OS

os has a submodule (**path**) that can be used to perform different operations with file/directories paths.

Python 3.x

```
import os
print (os.path.join ("C:","Windows","System32"))
print (os.path.dirname ("C:\\Windows\\abc.txt"))
print (os.path.basename ("C:\\Windows\\abc.txt"))
print (os.path.splitext ("C:\\Windows\\abc.txt"))
print (os.path.exists ("C:\\Windows\\abc.txt"))
print (os.path.exists ("C:\\Windows\\abc"))
print (os.path.isdir ("C:\\Windows"))
print (os.path.isfile ("C:\\Windows"))
print (os.path.isfile ("C:\\Windows\\abc.txt"))
```

Output

```
C:\\Windows\\System32
C:\\Windows
abc.txt
["C:\\Windows\\abc", ".txt"]
False
True
False
False
```

MODULES - OS

Listing the contents of a folder recursively.

Python 3.x

```
import os

for (root,directories,files) in os.walk("."):
    for fileName in files:
        full_fileName = os.path.join(root,fileName)
        print (full_fileName)
```

os module can also be used to execute a system command or run an application via **system** function

Python 3.x

```
import os
os.system("dir *.* /a")
```

Output

```
.\a
.\a.py
.\all.csv
.\run.bat
.\Folder1\version.1.6.0.0.txt
.\Folder1\version.1.6.0.1.txt
.\Folder1\Folder2\version.1.5.0.8.txt
```

INPUT/OUTPUT

Python has 3 implicit ways to work with I/O:

A) **IN**: via **keyboard** (with **input** or **raw_input** keywords)

- There are several differences between python 2.x and python 3.x regarding reading from stdin

B) **OUT**: via **print** keyword

C) **IN/OUT**: via **open** keyword (to access files)

INPUT/OUTPUT

In Python 3.x, the content read from the input is considered to be a string and returned

Format (Python 3.x)

```
input ()  
input (message)
```

Python 3.x

```
x = input("Enter: ")  
print (x, type(x))
```

○

Python 3.x

```
>>> Enter: 10  
10 <class 'str'>  
  
>>> Enter: 1+2*3.0  
1+2*3.0 <class 'str'>  
  
>>> Enter: "123"  
"123" <class 'str'>  
  
>>> Enter: test  
test <class 'str'>
```

INPUT/OUTPUT

print can be used to print a string or an object/variable that can be converted into a string.

Format (Python 3.x)

```
print (*objects, sep=' ', end='\n', file=sys.stdout, flush=False)
```

Python 3.x

```
>>> print ("test")
test
```

```
>>> print ("test",10,sep="---")
test---10
```

```
>>> print ("test",end="***");print("test2")
test***test2
```

```
>>> print ("test",10)
test 10
```

```
>>> print ("test");print("test2")
test
test2
```

FILE MANAGEMENT

A file can be open in python using the keyword **open**.

Format (Python 3.x)

```
FileObject = open (filePath, mode='r', buffering=-1, encoding=None,  
errors=None, newline=None, closefd=True, opener=None)
```

Where mode is a combination of the following:

- “r” – read (default)
- “w” – write
- “x” – exclusive creation (fail if file exists)
- “a” – append
- “b” – binary mode
- “t” – text mode
- “+” – update (read and write)

FILE MANAGEMENT

Python 3 also supports some extra parameters such as:

- **encoding** → if the file is open in text mode and you need translation from different encodings (UTF, etc)
- **error** → specify the way conversion errors for different encodings should be processed
- **newline** → also for text mode, specifies what should be consider a new line. If this value is set to None the character that is specific for the current operating system will be used

Documentation for **open** function:

- Python 3.x → <https://docs.python.org/3/library/functions.html#open>

FILE MANAGEMENT

A file object has the following methods:

- `f.close` → closes current file
- `f.tell` → returns the current file position
- `f.seek` → sets the current file position
- `f.read` → reads a number of bytes from the file
- `f.write` → write a number of bytes into the file
- `f.readline` → reads a line from the file

Also – the file object is iterable and returns all text lines from a file.

Python 3.x

```
for line in open("a.py"):  
    print (line.strip())
```

Lines read using this method contain the line-feed terminator. To remove it, use `strip` or `rstrip` methods.

FILE MANAGEMENT

Functional programming can also be used:

Python 3.x

```
x = [line for line in open("file.txt") if "Gen" in line.strip()]
print (len(x))
```

To read the entire content of the file in a buffer:

Python 3.x

```
data = open("file.txt", "rb").read()
print (len(data))
print (data[0])
```

read method returns a string in Python 2.x and a buffer or string depending on how the file is opened (“rt” vs “rb”) in Python 3.x → The output of the previous code will be a character (in Python 2.x) and a number representing the ascii code of that character in Python 3.x

To obtain a string in Python 3.x use “rt” instead of “rb”

FILE MANAGEMENT

To create a file and write content in it:

Python 3.x

```
open("file.txt", "wt").write("A new file ...")
```

It is a good policy to embed file operation in a try block

Python 3.x

```
try:
    f = open("abc.txt")
    for line in f:
        print(line.strip())
    f.close()
except:
    print("Unable to open file abc.txt")
```

FILE MANAGEMENT

Once a file is open, the file object handle can be used to retrieve different information regarding that file:

Python 3.x

```
f = open("a.py", "rb")
print ("File name      : ", f.name)
print ("File open mode : ", f.mode)
print ("Is it closed ? : ", f.closed)
```